



ALG ORELAP ID #OR100012
361 West 5th Ave
Eugene, OR 97401
TEL: (541) 485-8404 FAX: (541) 484-5995
Website:

June 27, 2018

Chrystell Reed
Ridgeline Montessori
4500 W. Amazon Drive
Eugene, OR 97405
TEL: (541) 681-9662
FAX

RE:

Order No.: 1806855

Dear Chrystell Reed:

Analytical Laboratory Group received 13 sample(s) on 6/18/2018 for the analyses presented in the following report.

A handwritten signature in black ink that reads 'Kimberly J. Reeve Morghan'.

Kimberly Reeve Morghan
Quality Manager
361 West 5th Ave
Eugene, OR 97401



ALG ORELAP ID #OR100012
361 West 5th Ave
Eugene, OR 97401
TEL: (541) 485-8404 FAX: (541) 484-5995
Website:

Case Narrative

WO#: 1806855
Date: 6/27/2018

CLIENT: Ridgeline Montessori

Project:

This report presents the results of the analyses of the sample(s) received on the date above and assigned the listed Analytical Laboratory Group Analytical Report numbers. Test results relate only to the parameters tested and to the samples as received by the laboratory.

This report shall not be reproduced, except in full, without written consent of Analytical Laboratory Group, Inc.

All analyses were performed according to the Analytical Laboratory Group, Inc. Quality Assurance Program. All QA/QC requirements were met except as noted below.

Analytical comments are noted with qualifiers (see "Qual" column) or data flags on the reports and/or below.



WO#: 1806855
CLIENT: Ridgeline Montessori
Location:
Project:
Sample Source:

Received Date: 6/18/2018 11:15:00 AM
Sampler Name Sadofsky
Matrix: Drinking Water
Treatment:

Lab ID: 1806855-001 **Client Sample ID** Room 1 **Collection Date:** 6/16/2018 12:05:00 PM

Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Lab ID: 1806855-002 **Client Sample ID** Room 2 **Collection Date:** 6/16/2018 12:10:00 PM

Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Lab ID: 1806855-003 **Client Sample ID** Building A Fountain **Collection Date:** 6/16/2018 12:15:00 PM

Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Lab ID: 1806855-004 **Client Sample ID** Staff Breakroom **Collection Date:** 6/16/2018 12:12:00 PM

Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Lab ID: 1806855-005 **Client Sample ID** Kitchenette **Collection Date:** 6/16/2018 12:18:00 PM

Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
Lead	SM 3113 B	0.00465	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Lab ID: 1806855-006 **Client Sample ID** Room 7 **Collection Date:** 6/16/2018 11:40:00 A

Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
Lead	SM 3113 B	0.00499	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Lab ID: 1806855-007 **Client Sample ID** Room 8 **Collection Date:** 6/16/2018 11:50:00 A

Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
Lead	SM 3113 B	0.00359	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Lab ID: 1806855-008 **Client Sample ID** East D Fountain **Collection Date:** 6/16/2018 11:45:00 A

Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
Lead	SM 3113 B	0.00382	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Qualifiers:

- * Value exceeds Maximum Contaminant Level (MCL)
- C Value is below Minimum Compound Limit.
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- ND Not Detected at the Reporting Limit
- A Accredited by ORELAP
- E Value above quantitation range
- LOD Limit of Detection
- NAR See note in Case Narrative
- PL Permit Limit

WO#: 1806855
CLIENT: Ridgeline Montessori
Location:
Project:
Sample Source:

Received Date: 6/18/2018 11:15:00 AM
Sampler Name: Sadofsky
Matrix: Drinking Water
Treatment:

Lab ID:	Client Sample ID			Collection Date:				
Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
1806855-009	East U Fountain			6/16/2018 11:52:00 A				
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Lab ID:	Client Sample ID			Collection Date:				
Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
1806855-010	West D Fountain			6/16/2018 11:55:00 A				
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Lab ID:	Client Sample ID			Collection Date:				
Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
1806855-011	Kitchen MS			6/16/2018 12:00:00 PM				
Lead	SM 3113 B	0.00567	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Lab ID:	Client Sample ID			Collection Date:				
Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
1806855-012	Room 11 Filtered			6/17/2018 11:40:00 A				
Lead	SM 3113 B	ND	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Lab ID:	Client Sample ID			Collection Date:				
Analyses	Method	Result	MCL	PQL	Qual	Units	Date Analyzed	Analyst
1806855-013	Room 11 Unfiltered			6/17/2018 11:45:00 A				
Lead	SM 3113 B	0.0123	0.0200	0.00200		mg/L	6/26/2018 6:30:00 PM	KG

Qualifiers:	* Value exceeds Maximum Contaminant Level (MCL)	A Accredited by ORELAP
	C Value is below Minimum Compound Limit.	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	LOD Limit of Detection
	MCL Maximum Contaminant Level	NAR See note in Case Narrative
	ND Not Detected at the Reporting Limit	PL Permit Limit



Delivering more than
just test results

ALG ORELAP ID #OR100012

361 West 5th Ave

Eugene, OR 97401

TEL: (541) 485-8404 FAX: (541) 484-5995

Website:

Definition Base

WO#: 1806855

Date: 6/27/2018

Definitions:

Qualifiers:

*	Value exceeds Maximum Contaminant Level (MCL)
A	Accredited by ORELAP
C	Value is below Minimum Compound Limit.
E	Value above quantitation range
H	Holding times for preparation or analysis exceeded
LOD	Limit of Detection
MCL	Maximum Contaminant Level
NAR	See note in Case Narrative
ND	Not Detected at the Reporting Limit
PL	Permit Limit
PQL	Practical Quantitation Level or Reporting Limit
R	RPD outside accepted recovery limits
U	Samples with CalcVal < MDL
W	Sample container temperature was outside of the limits as specified by the method.



ALG ORELAP ID #ORI00012
 361 West 5th Ave
 Eugene, OR 97401
 TEL: (541) 485-8404 FAX: (541) 484-5995
 Website:

Accreditation Program Analytes Report

WO#: **1806855**
 27-Jun-18

Client: Ridgeline Montessori

Project:

Program Name	Sample ID	ClientSampleID	Matrix	Test Name	Analyte	Status
ORELAP	1806855-001A	Room 1	Drinking Water	AA Metals by SM 3113 Schools 250mL	Lead	A
	1806855-002A	Room 2			Lead	A
	1806855-003A	Building A Fountain			Lead	A
	1806855-004A	Staff Breakroom			Lead	A
	1806855-005A	Kitchenette			Lead	A
	1806855-006A	Room 7			Lead	A
	1806855-007A	Room 8			Lead	A
	1806855-008A	East D Fountain			Lead	A
	1806855-009A	East U Fountain			Lead	A
	1806855-010A	West D Fountain			Lead	A
	1806855-011A	Kitchen MS			Lead	A
	1806855-012A	Room 11 Filtered			Lead	A
	1806855-013A	Room 11 Unfiltered			Lead	A

ORELAP A Accredited

ACCREDITED

Original #1806855# v1

KW

Analytical Laboratory Group, Inc.

361 WEST FIFTH AVENUE
 EUGENE, OREGON 97401
 800-262-5973/541-485-8404 Fax 541-484-5995
 Email: alglabs@alglabsinc.com



Distilling more than just test results

\$ PAID
21568 em

CHAIN OF CUSTODY

Attention: <u>Chrystell Reed</u>	Client: <u>Ridsellne Montessori</u>
Phone: <u>541-681-9662</u>	Address: <u>4500 W AMAZON</u>
Email: <u>Chrystell.Reed@Ridsellne.ORG</u>	City, State, Zip: <u>Eugene</u>
Client Project:	Sampler: Print <u>SADofsky</u> Sampler: Signature <u>[Signature]</u>

Client ID	Sample Matrix & Grab/Comp	Collection		Analysis Requested	Bottles -Lab Use Only				
		Date	Time		Type	#	Pres	T °C	Lab ID
✓ Room 1	DW/Grab	6/16	1205	Lead	<i>other Lab Container</i>	1			001A
✓ Room 2	DW/Grab	6/16	1210	Lead	P...	1			002A
✓ Building A fountain	DW/Grab	6/16	1215	Lead	P...	1			003A
✓ Staff Break Room	DW/Grab	6/16	1212	Lead	P...	1			004A
✓ Kitchenette	DW/Grab	6/16	1218	Lead	P...	1			005A
✓ Room 7	DW/Grab	6/16	1140	Lead	P...	1			006A
✓ Room 8	DW/Grab	6/16	1150	Lead	P...	1			007A
✓ East D fountain	DW/Grab	6/16	1145	Lead	P...	1			008A
✓ East U fountain	DW/Grab	6/16	1152	Lead	P...	1			009A
✓ Room A West D fountain	DW/Grab	6/16	1155	Lead	P...	1			010A

Notes:
 Seth Sadofsky
 541-513-2666 if Questions
 Copy Report to SETHSADOFSKY@MAC.COM

Lab ID	Date/Time	Pre-Preserved	pH	Tech

Turn Around Time Requested (Rush incurs a Surcharge): <input checked="" type="checkbox"/> NORMAL <input type="checkbox"/> RUSH	Shipped Via: <u>Sadofsky</u> <u>Seth</u> <u>6/18/18</u>	Refrigerated <u>Ice</u>
---	--	----------------------------

Relinquished by: <u>[Signature]</u>	Date	Time	Received by:	Date	Time
	6/18	1115			
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by Laboratory:	Date	Time
			<u>Aprilia Okelley</u>	6/18/18	11:15

Analytical Laboratory Group, Inc.

361 WEST FIFTH AVENUE
 EUGENE, OREGON 97401
 800-262-5973/541-485-8404 Fax 541-484-5995
 Email: alglabs@alglabsinc.com



\$ PAID
21568 em
Expanding minds from just test results

CHAIN OF CUSTODY

Attention: <u>Chrystell Reed</u>	Client: <u>Ridgeline Montessori</u>
Phone: <u>541-681-9662</u>	Address: <u>4500 W. Amazon Dr.</u>
Email: <u>chrystell.reed@ridgeline.org</u>	City, State, Zip: <u>Eugene, OR 97405</u>
Client Project:	Sampler: Print <u>SADOFSKY</u> Sampler: Signature _____

Client ID	Sample Matrix & Grab/Comp	Collection		Analysis Requested	Bottles -Lab Use Only				
		Date	Time		Type	#	Pres	T °C	Lab ID
<u>Kitchen MS</u>	<u>DW/Grab</u>	<u>6/16</u>	<u>1200</u>	<u>Lead</u>	<u>Other Lab contains</u>	<u>1</u>			<u>011A</u>
<u>Room 11 filtered</u>	<u>DW/Grab</u>	<u>6/17</u>	<u>1140</u>	<u>Lead</u>	<u>Null</u>	<u>1</u>			<u>012A</u>
<u>Room 11 Unfiltered</u>	<u>DW/Grab</u>	<u>6/17</u>	<u>1145</u>	<u>Lead</u>	<u>Null</u>	<u>1</u>			<u>013A</u>

Notes:	Preservation Check				
	Lab ID	Date/Time	Pre-Preserved	pH	Tech

Turn Around Time Requested (Rush incurs a Surcharge): <input checked="" type="checkbox"/> NORMAL <input type="checkbox"/> RUSH	Shipped Via: <u>Seth Sadofsky</u>	Refrigerated: <u>Ice</u>
Relinquished by: <u>[Signature]</u>	Date: <u>6/18</u> Time: <u>1115</u>	Received by: _____
Relinquished by: _____	Date: _____ Time: _____	Received by: _____
Relinquished by: _____	Date: _____ Time: _____	Received by Laboratory: <u>Amelia Okelley</u>
		Date: <u>6/18/18</u> Time: <u>11:15</u>